



## Upper section, Zinc + Painting 360 tower

3 m upper section for the erection of a 360 series tower.

<b>Ref.</b>	308501
<b>Logical ref.</b>	TOBER360R
<b>EAN13</b>	8424450136706

### Other features

<b>Colour</b>	Red
<b>Finishing</b>	Zinc + RCP

### Packing

<b>Unit</b>	1 pcs.
-------------	--------

### Physical data

<b>Photo with dimensions</b>	3.00
<b>Net weight</b>	23,000.00 g
<b>Gross weight</b>	23,000.00 g
<b>Width</b>	375.00 mm
<b>Height</b>	3,010.00 mm
<b>Depth</b>	325.00 mm
<b>Main product weight</b>	19,219.00 g

### Highlights

- Anchoring system with union nuts
- Fully automated soldering
- 360 tower maximum height: 57 m (as per calculation conditions)

## Main features

---

- Zinc coating + colour paint: oven-lacquering with polyester electrostatic powder
- Mast max. diameter: 52mm

## Mounting details

---

It consists in fixing the lower section to the base, set it in upright position and levelling it. The subsequent Middle Sections are then mounted, equipped with the appropriate guy wires; the mounting is carried out by climbing on the previously mounted sections and hoisting the new section with the help of the appropriate lifting tools.

## Technical specifications : Ref. 308501

Surface facing the wind	m <sup>2</sup>	0.4
-------------------------	----------------	-----