



## 19"-Rack Cabinet 6+2RU 600x450 mm

The 6+2RU rack cabinet is used for housing active or passive equipment, visible from the outside and protected by a secure lockable steel structure. Compatible with optical fiber, data cables and coaxial cable installations, it allows the grouping of different technologies in a single cabinet.

Total capacity is 8RU, namely 6RU and an additional 2RU, taking advantage of the top and bottom ends. The rack is equipped with depth-adjustable side profiles, which allow the installation of different types of panels or equipment.

It has a reversible and removable front door with a flexible fitting system, which facilitates rack maintenance and installation. The tempered glass door allows viewing the status of the devices without opening the rack. It also has push-button removable side doors for access to the rack interior via the sides, an advantage when configuring rear connections.

It is designed for wall or floor installation. In addition, it includes a bracket for wall mounting. The independent bracket facilitates installation, since it allows marking the drilling points to screw it to the wall and, after that, to place the rack on it.

|                     |               |
|---------------------|---------------|
| <b>Ref.</b>         | 533106        |
| <b>Logical ref.</b> | MSR196        |
| <b>EAN13</b>        | 8424450181997 |

## Other features

|                         |           |
|-------------------------|-----------|
| <b>Supply method</b>    | Assembled |
| <b>Rack depth</b>       | 450mm     |
| <b>Height (RU)</b>      | 6+2RU     |
| <b>Perforated doors</b> |           |

## Packaging info

|            |        |
|------------|--------|
| <b>Box</b> | 1 pcs. |
|------------|--------|

## Physical data

|                            |             |
|----------------------------|-------------|
| <b>Net weight</b>          | 20,750.00 g |
| <b>Gross volume</b>        | 110.00 dm³  |
| <b>Gross weight</b>        | 22,500.00 g |
| <b>Width</b>               | 600.00 mm   |
| <b>Height</b>              | 370.00 mm   |
| <b>Depth</b>               | 450.00 mm   |
| <b>Main product weight</b> | 20,750.00 g |

## Highlights

- High strength and durability: made of steel, with a coating based on polyester resins and lead-free pigments
- Safety: Tempered glass, lockable hinged front door
- Laser marking: numerical identification of each "RU"
- Horizontal cable guides: 1RU cable panels located at the top and bottom of the cabinet to lead cabling from one side to the other and facilitate connections
- Additional support: includes 1 side profile as standard to reinforce shelf installation, especially in high-load configurations
- Electrical safety: Each door and removable panel includes a grounding screw (terminal) to ensure proper grounding connection
- A 120x120 mm ventilation kit can be incorporated for the installation of active equipment, such as headends
- Black colour (RAL 9004)

## Discover

| REF. | DIMENSIONS (mm) | RACK UNITS (RU) | INSTALLATION | COMPATIBLE WITH |        |        |                  |
|------|-----------------|-----------------|--------------|-----------------|--------|--------|------------------|
|      |                 |                 |              | FAN             | WHEELS | PLINTH | CABLE MANAGEMENT |

| Compatibility of floor racks with fans, wheels, plinths and cable management panels                                                                                                                                                                                                                                                                                                          |          |      |              |        |                |                            |  |  |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|--------------|--------|----------------|----------------------------|--|--|--|
| 533105/06                                                                                                                                                                                                                                                                                                                                                                                    | 600x450  | 8+2  | Wall / Floor | 533174 | Not applicable | Not applicable             |  |  |  |
| 533112/13                                                                                                                                                                                                                                                                                                                                                                                    | 600x450  | 13+2 |              |        |                |                            |  |  |  |
| The correct selection of accessories in a rack is key to ensuring the performance, accessibility and organisation of the entire infrastructure. Elements such as fans, wheels, plinths and cable management panels help optimise cooling, mobility and cable routing.                                                                                                                        |          |      |              |        |                |                            |  |  |  |
| 533114/15                                                                                                                                                                                                                                                                                                                                                                                    | 600x450  | 15+2 |              |        |                |                            |  |  |  |
| 533115/16                                                                                                                                                                                                                                                                                                                                                                                    | 600x600  | 15+2 |              |        |                |                            |  |  |  |
| 533119/18                                                                                                                                                                                                                                                                                                                                                                                    | 600x600  | 18   | Floor        | 533171 |                | 533158<br>533159<br>533160 |  |  |  |
| 533121/22                                                                                                                                                                                                                                                                                                                                                                                    | 600x600  | 22   |              |        |                |                            |  |  |  |
| 533126/27                                                                                                                                                                                                                                                                                                                                                                                    | 600x600  | 27   |              |        |                |                            |  |  |  |
| 533131/32                                                                                                                                                                                                                                                                                                                                                                                    | 600x600  | 32   |              |        |                |                            |  |  |  |
| 533136/37                                                                                                                                                                                                                                                                                                                                                                                    | 600x600  | 37   |              |        |                |                            |  |  |  |
| 533138/39                                                                                                                                                                                                                                                                                                                                                                                    | 600x800  | 37   |              |        |                |                            |  |  |  |
| 533141/42                                                                                                                                                                                                                                                                                                                                                                                    | 600x800  | 42   |              |        |                |                            |  |  |  |
| • Floor-standing racks include feet, but it is also possible to add wheels. In this way, a rack can be installed either on feet only, on wheels, or with a combination of both. This configuration provides greater flexibility, allowing the rack to be moved easily during installation or maintenance, to correct floor unevenness and to distribute the load across more support points. |          |      |              |        |                |                            |  |  |  |
| 533128                                                                                                                                                                                                                                                                                                                                                                                       | 800x800  | 27   |              |        |                |                            |  |  |  |
| 533143/44                                                                                                                                                                                                                                                                                                                                                                                    | 800x800  | 42   | Plinth       | 533171 |                | 533158<br>533159<br>533160 |  |  |  |
| 533140/45                                                                                                                                                                                                                                                                                                                                                                                    | 800x800  | 42   |              |        |                |                            |  |  |  |
| 533148/46                                                                                                                                                                                                                                                                                                                                                                                    | 800x1000 | 42   |              |        |                |                            |  |  |  |
| 533149/47                                                                                                                                                                                                                                                                                                                                                                                    | 800x1000 | 42   |              |        |                |                            |  |  |  |
| • Another option available for certain racks is installation on plinths. Plinths elevate the rack net from the floor, making maintenance easier and improving the stability of the assembly. This additional space also allows cable routing and concealment at the bottom section, guiding it neatly towards the rear, contributing to a cleaner and more organised installation.           |          |      |              |        |                |                            |  |  |  |

- Another option for cable management is the use of cable management panels. These enable efficient cable routing inside the rack, facilitating both installation and maintenance operations. Their use improves equipment accessibility and contributes to a more orderly and professional setup. They are available in horizontal and vertical configurations, adapting to the needs of each installation.

Below is a compatibility table for our racks with all these accessories:

## Technical specifications : Ref. 533106

|                            |    |                      |
|----------------------------|----|----------------------|
| Modular spacing (standard) | in | 19                   |
| Height                     | in | 14.567               |
| Width                      | in | 23.622               |
| Depth                      | in | 17.717               |
| Number of rack units (RU)  |    | 6                    |
| Material                   |    | Steel                |
| Rack rail thickness        | in | 0.059                |
| Color                      |    | Black                |
| Surface finishing          |    | Electrostatic powder |
| Number of doors            |    | 1                    |
| Front door material        |    | Tempered glass       |
| Rear door                  |    | No                   |
| Max. load capacity         | kg | 60                   |
| Removable sides            |    | Yes                  |
| Installation type          |    | Wall / Ground        |
| Type of profile rail       |    | L-shaped             |
| Grounding                  |    | Yes                  |
| Protection index (IP)      |    | 20                   |
| Protection index (IK)      |    | 07                   |