Splice Box for Rack 19" For "SC" Simplex or "LC" Duplex optical adapters



Designed to house SC-to-SC Simplex or LC-to-LC Duplex adapters, it can be used as a junction point for optical fibers (FO patch panel). It can be used to easily connect segregated multifiber hoses or several fiber hoses, thus allowing easy access and identification of these.

It allows having a fixed optical fiber distribution network, to which different signals can be delivered just by a reconnection on the panel. Thanks to its wide design, it facilitates the easy assembly and maintenance of the fusion patches that it houses.
In addition, the position of the splice box can be set back with respect to the rack profile, in order to protect the connectors against knocks or chafing, and to allow the rack door to close without any problem.

Ref.	533152
Logical ref.	UFB24SC-A
EAN13	8424450182598

Other features	
Number of connectors	24 SC Simplex or LC Duplex adapters
Height (RU)	1RU

Packaging info	
Box	1 pcs.
Carton	5 pcs.

Physical data	
Net weight	1,342.00 g
Gross volume	7.57 dm³
Gross weight	1,629.00 g
Width	480.00 mm
Height	42.00 mm
Depth	230.00 mm
Main product weight	1,342.00 g

Highlights

- Resistant material due to steel construction of frame and rails
- Lightweight base due to aluminium construction
- Adjustable tray position to recess it behind the rack profile, protecting the connectors and allowing the door to close properly
- Each connector is identified with a laser-marked number
- Black colour (RAL 9005)
- Includes 4 screws and 4 nuts for installation in a 19"-rack
- Equipped with a FO tray and cover to house the different fiber splices
- Includes clamps and flanges for the fixing and guiding of the different fibers

Technical specifications : Ref. 533152

Modular spacing (standard)	in	19
Number of rack units (RU)		1
Mounting		Front
Optical connector type		LC Duplex / SC Simplex
Max. capacity of connectors		24
Depth	in	9.291
Depth adjustment	in	2.165
Color		Black