



## Splice Box for Rack 19" 1RU, for 24 "SC" Duplex or "LC" Quad optical adapters

Designed to house 24 SC-to-SC Duplex or LC-to-LC Quad adapters, it can be used as a junction point for optical fibers (FO patch panel). It can be used to easily connect segregated multifiber hoses or several fiber hoses, thus allowing easy access and identification of these.

It allows having a fixed optical fiber distribution network, to which different signals can be delivered just by a reconnection on the panel. Thanks to its wide design, it facilitates the easy assembly and maintenance of the fusion patches that it houses. In addition, the position of the splice box can be set back with respect to the rack profile, in order to protect the connectors against knocks or chafing, and to allow the door to close without any problem.

<b>Ref.</b>	533182
<b>Logical ref.</b>	UFB24SCD-A
<b>EAN13</b>	8424450238479

### Other features

<b>Connection type</b>	SC Dúplex or LC Quad
<b>Height (RU)</b>	1RU

### Physical data

<b>Net weight</b>	1,800.00 g
<b>Gross volume</b>	7.20 dm <sup>3</sup>

## Packaging info

---

**Box** 1 pcs.

---

**Carton** 5 pcs.

---

**Gross weight** 2,095.00 g

---

**Width** 479.00 mm

---

**Height** 45.00 mm

---

**Depth** 225.00 mm

---

**Main product weight** 1,800.00 g

---

## Highlights

---

- Resistant material due to steel construction of frame and rails
- Lightweight base due to aluminium construction
- Each connector is identified with a laser-marked number (1...48)
- Includes 4 screws and 4 nuts for installation in a 19"-rack.
- Equipped with 2 FO organizer trays and cover to house the different fiber splices
- Includes clamps and flanges for the fixing and guiding of the different fibers
- Black colour (RAL 9005)

## Technical specifications : Ref. 533182

Number of rack units (HE)		1
Modular spacing (standard)	in	19
Optical connector type		LC Quad / SC Duplex
Depth	in	9.291
Depth adjustment	in	2.165
Colour		Black