Splice Box for Rack 19" 1RU, for 24 "SC" Duplex or "LC" Quad optical adapters



Designed to house 24 SC-to-SC Duplex or LC-to-LC Quad adapters, it can be used as a junction point for optical fibers (FO patch panel). It can be used to easily connect segregated multifiber hoses or several fiber hoses, thus allowing easy access and identification of these.

It allows having a fixed optical fiber distribution network, to which different signals can be delivered just by a reconnection on the panel. Thanks to its wide design, it facilitates the easy assembly and maintenance of the fusion patches that it houses.
In addition, the position of the splice box can be set back with respect to the rack profile, in order to protect the connectors against knocks or chafing, and to allow the rack door to close without any problem.

Ref.	533182
Logical ref.	UFB24SCD-A
EAN13	8424450238479

Other features	
Connection type	SC Dúplex or LC Quad
Height (RU)	1RU

Packaging info	
Box	1 pcs.
Carton	5 pcs.

Physical data	
Net weight	1,800.00 g
Gross volume	7.20 dm³
Gross weight	2,095.00 g
Width	479.00 mm
Height	45.00 mm
Depth	225.00 mm
Main product weight	1,800.00 g

Highlights

- Resistant material due to steel construction of frame and rails

- Lightweight base due to aluminium construction
- Adjustable tray position to recess it behind the rack profile, protecting the connectors and allowing the door to close properly
- Each connector is identified with a laser-marked number (1...48)
- Includes 4 screws and 4 nuts for installation in a 19"-rack.
- Equipped with 2 FO organizer trays and cover to house the different fiber splices
- Includes clamps and flanges for the fixing and guiding of the different fibers
- Black colour (RAL 9005)

Technical specifications : Ref. 533182

Modular spacing (standard)	in	19
Number of rack units (RU)		1
Mounting		Front
Optical connector type		LC Quad / SC Duplex
Max. capacity of connectors		24
Depth	in	9.291
Depth adjustment	in	2.165
Color		Black