



Splice Box for Rack 19" 1RU, up to 3 LGX modules

Designed to house up to 3 LGX modules, it can be used as a junction point for optical fibers (FO patch panel). LGX modules are high-density connection systems for optimizing the usage of rack space. Duplex and simplex connectors can be combined in a single RU by using several pre-connected LGX modules.

It can be used to easily connect segregated multi-fiber hoses, several fiber hoses or pigtailed, thus allowing easy access and identification of these.

It allows to have a fixed optical fiber distribution network, to which different signals can be delivered just by a reconnection on the panel.

Thanks to its wide design, it facilitates the easy assembly and maintenance of the fusion patches that it houses.

Ref.	533201
Logical ref.	UFB3LGX-A
EAN13	8424450279762

Packaging info

Box	1 pcs.
------------	--------

Physical data

Net weight	1,800.00 g
Gross volume	7.40 dm ³
Gross weight	2,075.00 g
Width	433.00 mm
Height	42.00 mm

Depth	225.00 mm
Main product weight	1,800.00 g

Highlights

- Resistant material due to steel construction of frame and rails
- Lightweight base due to aluminium construction
- Space-saving: Compact LGX modules allow for a high connection density
- Extremely easy installation and use
- Sliding: makes easier the work and the organization inside the tray
- Designed as 1RU
- Includes 4 screws and 4 nuts for installation in a 19"-rack
- Includes 2 latches for fixing the tray to the frame
- Compatible with 103mm wide x 28.5mm high LGX modules
- Black colour (RAL 9005)

Technical specifications : Ref. 533201

Modular spacing (standard)	in	19
Number of rack units (RU)		1
Depth	in	8.858
Depth adjustment	in	2.165
Color		Black