




Open Main Terminal Panel Coaxial, data and optical fiber cable

Designed as an open enclosure, it allows the building of an interconnection point between two data cable networks, fiber optic networks or coaxial cable networks. The open design provides reduced dimensions that makes it easy to install virtually anywhere, even in premises where there is no room for a enclosure.

It allows the insertion of RJ45 female data connectors, "F" female - "F" female coaxial adapters (ref. 546620) and keystone modules for fiber optic (ref. 233230 and 233231).

Ref.	546610
Logical ref.	OKB24
EAN13	8424450166864

Packaging info

Box	1 pcs.
------------	--------

Physical data

Net weight	684.00 g
Gross volume	5.10 dm³
Gross weight	684.00 g
Width	352.00 mm
Height	83.00 mm
Depth	155.00 mm
Main product weight	684.00 g

Highlights

- Robust: Made of 1.5mm-thick steel.
- Compact design: optimizes space of use and makes installation easier
- RJ45 female connector compatible
- Compatible with "F" female-to-"F" female adapters with RJ45 base (ref. 546620)
- Compatible with keystone modules for fiber optic (ref. 233230 and 233231)
- Includes wall mounting screws
- Lacquered grey (RAL 7035)

Technical specifications : Ref. 546610

Installation type		Wall built-in / Wall
Grounding		No
Material		Steel
Thickness	in	0.059
Color		Grey
Height	in	3.15
Width	in	13.622
Depth	in	5.906