



VPN access management router

The communications gateway is an indispensable element in any installation, as it allows remote access via VPN, in a secure and encrypted way, to all the equipment connected to the router from anywhere in the world through the Internet.

This router provides 1 WAN 10/100 Base-T RJ45 port, 4 LAN 10/100 Base-T RJ45 ports, 1 USB 2.0 port and Wi-Fi WLAN 802.11 b/g/n/ac (2.4/5 GHz).

Ref.	831404
Logical ref.	A-VPNR
EAN13	8424450153093

Packaging info

Box	1 pcs.
------------	--------

Physical data

Net weight	763.00 g
Gross volume	4.18 dm ³
Gross weight	763.00 g
Width	182.00 mm
Height	50.00 mm
Depth	200.00 mm
Main product weight	380.00 g

Highlights

- Allows VPN access to all the equipment connected to the router
- Allows remote support tasks, both during project commissioning and operation, providing for maintenance tasks, updates, etc
- 802.11ac dual-band wireless at up to 733 Mbps for high-performance wireless
- Two fixed high-gain antennas for expanded wireless coverage
- Operation in the 2.4GHz and 5GHz band
- Power supply unit included
- Network cable (RJ-45) included

Technical specifications : Ref. 831404

RAM	MB	64
Input voltage	Vac	100 ... 240
Output voltage	Vdc	12
Max. output current	A	1
Number of Fast Ethernet ports (10/100BASE-T)		4
Number of USB ports		1
PoE input		No
OS		ASUSWRT
Operating temperature	°F	32 ... 104
Color		Grey