



Fixed Tray for 19" Rack with 600-800 mm Depth, 1RU

Designed for the easy installation of equipment that does not have a rack-mountable structure (routers, keyboards, computers, etc.).

Intended for installation in 19" racks with 600 mm depth. Its extendable rails allow mounting in 800 mm racks, although in this configuration the maximum load capacity is reduced. For installation in 800 mm racks requiring higher load capacity, the tray Ref. 533221 is recommended.

It has perforations in its base to facilitate the ventilation of the devices placed on it, as well as to allow them to be secured using Velcro straps or cable ties.

Ref.	533220
Logical ref.	UKS-L600
EAN13	8424450335420

Other features

Rack depth	600-800 mm
-------------------	------------

Packaging info

Box	1 pcs.
------------	--------

Physical data

Net weight	3,000.00 g
Gross volume	11.97 dm³
Gross weight	3,400.00 g
Width	485.00 mm
Height	44.00 mm

Depth	320.00 mm
-------	-----------

Main product weight	3,000.00 g
---------------------	------------

Highlights

- Resistant material thanks to its fabrication of steel
- Extremely easy installation and use
- Extendable rails allowing installation in racks with 600 mm and 800 mm depth
- Supports a maximum load of 50 kg
- Front and rear rack mounting for greater stability
- Designed as 1RU
- Includes 4 screws and 4 nuts for installation in a 19"-rack
- Black colour

Technical specifications : Ref. 533220

Number of rack units (RU)		1
Modular spacing (standard)	in	19
Width	in	19.094
Height	in	1.732
Depth	in	12.598
Sliding		No
Max. load capacity	kg	50
Material		Steel
Color		Black
Surface finishing		Electrostatic powder