



## Upper section, Hot-Dip Galvanizing + Painting 180 tower

3m upper section for the erection of a 180 series tower.

<b>Ref.</b>	303204
<b>EAN13</b>	8424450321096

### Other features

<b>Colour</b>	Red
---------------	-----

### Packaging info

<b>Unit</b>	1 pcs.
-------------	--------

### Physical data

<b>Net weight</b>	11,000.00 g
-------------------	-------------

<b>Gross volume</b>	47.80 dm <sup>3</sup>
---------------------	-----------------------

<b>Gross weight</b>	11,000.00 g
---------------------	-------------

<b>Width</b>	160.00 mm
--------------	-----------

<b>Height</b>	2,980.00 mm
---------------	-------------

<b>Depth</b>	139.00 mm
--------------	-----------

<b>Main product weight</b>	11,000.00 g
----------------------------	-------------

### Highlights

Anchoring system with union nuts

Easy and quick mounting

Fully automated soldering

180 tower maximum height: 26.5m (as per calculation conditions)

The hot-dip galvanizing surface treatment provides enhanced durability in adverse corrosion conditions

Colour paint, oven-lacquering with polyester electrostatic powder

Main tubes of 20\*2 mm and transverse rods of 6 mm

## Technical specifications : Ref. 303204

Surface facing the wind	m <sup>2</sup>	0.257
-------------------------	----------------	-------